

RON hydronic heating radiator price list 2018 - excluding GST																
Eskimo colours and bead blast aluminium			No of sections													
		Width of radiator (mm)	1		2		3		4		5		6		7	
Height (mm)	Output per section (watts)		W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	44		44	422	87	523	131	625	174	726	218	828	262	929	305	1031
400	81		81	439	162	555	244	671	325	788	406	906	487	1023	568	1139
600	115		115	494	230	633	346	772	461	911	576	1049	691	1188	806	1327
1000	182		182	530	364	700	546	870	728	1040	910	1210	1092	1380	1274	1556
1500	258		258	588	516	810	774	1032	1032	1253	1290	1482	1548	1704	1806	1926
1800	302		302	617	604	865	906	1113	1208	1361	1510	1609	1812	1857	2114	2112
Polished Aluminium			No of sections													
		Width of radiator (mm)	1		2		3		4		5		6		7	
Height (mm)	Output per section (watts)		W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35		35	419	70	515	105	611	140	708	174	805	209	902	244	994
400	65		65	437	130	546	195	655	260	765	325	875	390	985	455	1090
600	92		92	494	184	623	276	752	369	882	461	1012	553	1142	645	1269
1000	146		146	542	291	708	437	875	582	1042	728	1209	874	1376	1019	1549
1500	206		206	607	413	826	619	1045	826	1265	1032	1485	1238	1705	1445	1927
1800	241		241	641	482	886	723	1132	964	1378	1205	1624	1446	1870	1687	2119
Matt Aluminium, Fop, Maggie, Compost			No of sections													
		Width of radiator (mm)	1		2		3		4		5		6		7	
Height (mm)	Output per section (watts)		W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35		35	434	70	544	105	655	140	767	174	879	209	991	244	1098
400	65		65	456	130	583	195	711	260	840	325	969	390	1098	455	1222
600	92		92	517	184	669	276	821	369	974	461	1127	553	1280	645	1430
1000	146		146	566	291	758	437	949	582	1141	728	1333	874	1525	1019	1724
1500	206		206	639	413	890	619	1140	826	1392	1032	1644	1238	1896	1445	2152
1800	241		241	677	482	958	723	1240	964	1523	1205	1806	1446	2089	1687	2374
Gold			No of sections													
		Width of radiator (mm)	1		2		3		4		5		6		7	
Height (mm)	Output per section (watts)		W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35		35	437	70	553	105	670	140	788	174	906	209	1024	244	1136
400	65		65	459	130	593	195	726	260	860	325	994	390	1128	455	1261
600	92		92	523	184	682	276	841	369	1001	461	1161	553	1321	645	1477
1000	146		146	574	291	773	437	972	582	1172	728	1372	874	1572	1019	1778
1500	206		206	648	413	908	619	1168	826	1429	1032	1690	1238	1951	1445	2219
1800	241		241	687	482	978	723	1270	964	1563	1205	1856	1446	2149	1687	2445
Antique Bronze			No of sections													
		Width of radiator (mm)	1		2		3		4		5		6		7	
Height (mm)	Output per section (watts)		W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35		35	507	70	690	105	874	140	1059	174	1244	209	1429	244	1608
400	65		65	556	130	784	195	1011	260	1240	325	1469	390	1698	455	1922
600	92		92	644	184	923	276	1202	369	1482	461	1762	553	2042	645	2320
1000	146		146	754	291	1133	437	1513	582	1894	728	2275	874	2656	1019	3036
1500	206		206	898	413	1407	619	1916	826	2426	1032	2936	1238	3446	1445	3960
1800	241		241	979	482	1561	723	2143	964	2726	1205	3309	1446	3892	1687	4480

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

Towel rails can be added at an additional cost of \$257

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for \$155 extra per radiator

All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.

Eskimo colours and bead blast aluminium		No of sections													
		8		9		10		11		12		13			
		Width of radiator (mm)		416		468		520		572		624		676	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	44	349	1132	392	1234	436	1335	480	1437	523	1538	567	1640		
400	81	650	1255	731	1372	812	1488	893	1605	974	1722	1056	1841		
600	115	922	1466	1037	1605	1152	1744	1267	1883	1382	2022	1498	2166		
1000	182	1456	1726	1638	1896	1820	2066	2002	2236	2184	2406	2366	2582		
1500	258	2064	2148	2322	2370	2580	2592	2838	2814	3096	3036	3354	3264		
1800	302	2416	2361	2718	2610	3020	2859	3322	3118	3624	3367	3926	3616		
Polished Aluminium		No of sections													
		8		9		10		11		12		13			
		Width of radiator (mm)		416		468		520		572		624		676	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	279	1091	314	1188	349	1285	384	1382	419	1479	453	1570		
400	65	520	1200	585	1310	650	1420	715	1530	780	1640	844	1750		
600	92	737	1399	829	1529	922	1659	1014	1789	1106	1919	1198	2051		
1000	146	1165	1711	1310	1879	1456	2047	1602	2215	1747	2383	1893	2556		
1500	206	1651	2147	1858	2367	2064	2587	2270	2807	2477	3027	2683	3247		
1800	241	1928	2366	2169	2613	2410	2860	2651	3107	2892	3354	3133	3604		
Matt Aluminium, Fop, Maggie, Compost		No of sections													
		8		9		10		11		12		13			
		Width of radiator (mm)		416		468		520		572		624		676	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	279	1210	314	1322	349	1434	384	1546	419	1658	453	1762		
400	65	520	1351	585	1480	650	1609	715	1738	780	1867	844	1997		
600	92	737	1583	829	1736	922	1889	1014	2042	1106	2195	1198	2353		
1000	146	1165	1917	1310	2110	1456	2303	1602	2496	1747	2689	1893	2883		
1500	206	1651	2404	1858	2656	2064	2908	2270	3160	2477	3412	2683	3666		
1800	241	1928	2657	2169	2940	2410	3223	2651	3506	2892	3789	3133	4080		
Gold		No of sections													
		8		9		10		11		12		13			
		Width of radiator (mm)		416		468		520		572		624		676	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	279	1254	314	1372	349	1490	384	1608	419	1726	453	1835		
400	65	520	1395	585	1529	650	1663	715	1797	780	1931	844	2073		
600	92	737	1637	829	1797	922	1957	1014	2117	1106	2277	1198	2442		
1000	146	1165	1978	1310	2178	1456	2378	1602	2578	1747	2778	1893	2983		
1500	206	1651	2481	1858	2743	2064	3005	2270	3267	2477	3529	2683	3790		
1800	241	1928	2738	2169	3031	2410	3324	2651	3617	2892	3910	3133	4213		
Antique Bronze		No of sections													
		8		9		10		11		12		13			
		Width of radiator (mm)		416		468		520		572		624		676	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	279	1793	314	1978	349	2163	384	2348	419	2533	453	2710		
400	65	520	2151	585	2380	650	2609	715	2838	780	3067	844	3294		
600	92	737	2600	829	2880	922	3160	1014	3440	1106	3720	1198	4002		
1000	146	1165	3417	1310	3798	1456	4179	1602	4560	1747	4941	1893	5318		
1500	206	1651	4470	1858	4980	2064	5490	2270	6000	2477	6510	2683	7023		
1800	241	1928	5064	2169	5648	2410	6232	2651	6816	2892	7400	3133	7988		

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

Towel rails can be added at an additional cost of \$257

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for \$155 extra per radiator

All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.

Eskimo colours and bead blast aluminium		No of sections													
		14		15		16		17		18		19			
		Width of radiator (mm)		728		780		832		884		936		988	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	44	610	1748	654	1849	698	1951	741	2052	785	2154	828	2255		
400	81	1137	1958	1218	2074	1299	2191	1380	2307	1462	2424	1543	2540		
600	115	1613	2305	1728	2444	1843	2583	1958	2722	2074	2861	2189	3000		
1000	182	2548	2752	2730	2924	2912	3096	3094	3268	3276	3440	3458	3608		
1500	258	3612	3486	3870	3708	4128	3930	4386	4152	4644	4374	4902	4602		
1800	302	4228	3865	4530	4114	4832	4365								
Polished Aluminium		No of sections													
		Width of radiator (mm)		728		780		832		884		936		988	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	488	1667	523	1764	558	1861	593	1958	628	2055	663	2152		
400	65	909	1860	974	1970	1039	2080	1104	2190	1169	2300	1234	2400		
600	92	1290	2181	1382	2311	1475	2441	1567	2571	1659	2701	1751	2826		
1000	146	2038	2724	2184	2892	2330	3060	2475	3228	2621	3396	2766	3563		
1500	206	2890	3467	3096	3687	3302	3907	3509	4127	3715	4347	3922	4568		
1800	241	3374	3851	3615	4098	3856	4346								
Matt Aluminium, Fop, Maggie, Compost		No of sections													
		Width of radiator (mm)		728		780		832		884		936		988	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	488	1874	523	1986	558	2098	593	2210	628	2322	663	2435		
400	65	909	2126	974	2255	1039	2384	1104	2513	1169	2642	1234	2762		
600	92	1290	2506	1382	2659	1475	2812	1567	2965	1659	3118	1751	3266		
1000	146	2038	3076	2184	3269	2330	3462	2475	3655	2621	3848	2766	4041		
1500	206	2890	3918	3096	4170	3302	4422	3509	4674	3715	4926	3922	5179		
1800	241	3374	4363	3615	4646	3856	4933								
Gold		No of sections													
		Width of radiator (mm)		728		780		832		884		936		988	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	488	1953	523	2071	558	2189	593	2307	628	2425	663	2544		
400	65	909	2207	974	2341	1039	2475	1104	2609	1169	2743	1234	2875		
600	92	1290	2602	1382	2762	1475	2922	1567	3082	1659	3242	1751	3396		
1000	146	2038	3183	2184	3383	2330	3583	2475	3783	2621	3983	2766	4187		
1500	206	2890	4052	3096	4314	3302	4576	3509	4838	3715	5100	3922	5361		
1800	241	3674	4506	3936	4799	4198	5097								
Antique Bronze		No of sections													
		Width of radiator (mm)		728		780		832		884		936		988	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	488	2895	523	3080	558	3265	593	3450	628	3635	663	3818		
400	65	909	3523	974	3752	1039	3981	1104	4210	1169	4439	1234	4660		
600	92	1290	4282	1382	4562	1475	4842	1567	5122	1659	5402	1751	5678		
1000	146	2038	5699	2184	6080	2330	6461	2475	6842	2621	7223	2766	7600		
1500	206	2890	7533	3096	8043	3302	8553	3509	9063	3715	9573	3922	10086		
1800	241	3674	8572	3936	9156	4198	9742						0		

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

Towel rails can be added at an additional cost of \$257

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for \$155 extra per radiator

All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.

RON hydronic heating radiator price list 2018														- excluding GST			
Eskimo colours and bead blast aluminium			No of sections														
			20		21		22		23		24		25				
			1040		1092		1144		1196		1248		1300				
Height (mm)	Output per section (watts)	Width of radiator (mm)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$			
			200	44		872	2357	916	2458	959	2560	1003	2661	1046	2763	1090	2865
400	81		1624	2657	1705	2773	1786	2889	1868	3006	1949	3122	2030	3243			
600	115		2304	3139	2419	3278	2534	3417	2650	3556	2765	3695	2880	3838			
1000	182		3640	3780	3822	3952	4004	4124	4186	3296	4368	4468	4550	4635			
1500	258		5160	4818	5418	5040	5676	5274									
1800	302																
Polished Aluminium			No of sections														
			20		21		22		23		24		25				
			1040		1092		1144		1196		1248		1300				
Height (mm)	Output per section (watts)	Width of radiator (mm)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$			
			200	35		698	2249	732	2346	767	2443	802	2540	837	2637	872	2728
400	65		1299	2510	1364	2620	1429	2730	1494	2840	1559	2950	1624	3060			
600	92		1843	2956	1935	3086	2028	3216	2120	3346	2212	3476	2304	3608			
1000	146		2912	3731	3058	3899	3203	4067	3349	4235	3494	4403	3640	4570			
1500	206		4128	4787	4334	5007	4541	5231									
1800	241																
Matt Aluminium, Fop, Maggie, Compost			No of sections														
			20		21		22		23		24		25				
			1040		1092		1144		1196		1248		1300				
Height (mm)	Output per section (watts)	Width of radiator (mm)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$			
			200	35		698	2547	732	2659	767	2771	802	2883	837	2995	872	3099
400	65		1299	2891	1364	3020	1429	3149	1494	3278	1559	3407	1624	3537			
600	92		1843	3419	1935	3572	2028	3725	2120	3878	2212	4031	2304	4189			
1000	146		2912	4234	3058	4427	3203	4620	3349	4813	3494	5006	3640	5199			
1500	206		4128	5431	4334	5683	4541	5941									
1800	241																
Gold			No of sections														
			20		21		22		23		24		25				
			1040		1092		1144		1196		1248		1300				
Height (mm)	Output per section (watts)	Width of radiator (mm)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$			
			200	35		698	2662	732	2780	767	2898	802	3016	837	3134	872	3243
400	65		1299	3009	1364	3143	1429	3277	1494	3411	1559	3545	1624	3687			
600	92		1843	3556	1935	3716	2028	3876	2120	4036	2212	4196	2304	4361			
1000	146		2912	4387	3058	4587	3203	4787	3349	4987	3494	5187	3640	5392			
1500	206		4128	5623	4334	5885	4541	6151									
1800	241																
Antique Bronze			No of sections														
			20		21		22		23		24		25				
			1040		1092		1144		1196		1248		1300				
Height (mm)	Output per section (watts)	Width of radiator (mm)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$			
			200	35		698	4003	732	4188	767	4373	802	4558	837	4743	872	4920
400	65		1299	4889	1364	5118	1429	5347	1494	5576	1559	5805	1624	6032			
600	92		1843	5958	1935	6238	2028	6518	2120	6798	2212	7078	2304	7360			
1000	146		2912	7981	3058	8362	3203	8743	3349	9124	3494	9505	3640	9882			
1500	206		4128	10596	4334	11106	4541	11621									
1800	241																

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412
Towel rails can be added at an additional cost of \$257
All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.
Connections are 1/2" BSP opposite end side unless otherwise specified
Bottom connections can be specified for \$155 extra per radiator
All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.

Eskimo colours and bead blast aluminium		No of sections											
		26		27		28		29		30		31	
Width of radiator (mm)		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	44	1134	2966	1177	3068	1221	3176	1264	3277	1308	3379	1352	3480
400	81	2111	3360	2192	3476	2274	3593	2355	3709	2436	3826	2517	3942
600	115	2995	3977	3110	4116	3226	4255	3341	4394	3456	4533	3571	4677
1000	182	4732	4807	4914	4979	5096	5151	5278	5323	5460	5495	5642	5661
1500	258												
1800	302												

Polished Aluminium		No of sections											
		26		27		28		29		30		31	
Width of radiator (mm)		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	907	2825	942	2922	977	3019	1012	3116	1046	3213	1081	3310
400	65	1689	3170	1754	3280	1819	3390	1884	3500	1949	3610	2014	3720
600	92	2396	3738	2488	3868	2580	3998	2673	4128	2765	4258	2857	4390
1000	146	3786	4738	3931	4906	4077	5074	4222	5242	4368	5410	4514	5577
1500	206												
1800	241												

Matt Aluminium, Fop, Maggie, Compost		No of sections											
		26		27		28		29		30		31	
Width of radiator (mm)		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	907	3211	942	3323	977	3435	1012	3547	1046	3659	1081	3772
400	65	1689	3666	1754	3795	1819	3924	1884	4053	1949	4182	2014	4303
600	92	2396	4342	2488	4495	2580	4648	2673	4801	2765	4954	2857	5111
1000	146	3786	5392	3931	5585	4077	5778	4222	5971	4368	6164	4514	6357
1500	206												
1800	241												

Gold		No of sections											
		26		27		28		29		30		31	
Width of radiator (mm)		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	907	3361	942	3479	977	3597	1012	3715	1046	3833	1081	3952
400	65	1689	3821	1754	3955	1819	4089	1884	4223	1949	4357	2014	4489
600	92	2396	4521	2488	4681	2580	4841	2673	5001	2765	5161	2857	5325
1000	146	3786	5592	3931	5792	4077	5992	4222	6192	4368	6392	4514	6596
1500	206												
1800	241												

Antique Bronze		No of sections											
		26		27		28		29		30		31	
Width of radiator (mm)		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	907	5105	942	5290	977	5475	1012	5660	1046	5845	1081	6028
400	65	1689	6261	1754	6490	1819	6719	1884	6948	1949	7177	2014	7398
600	92	2396	7640	2488	7920	2580	8200	2673	8480	2765	8760	2857	9043
1000	146	3786	10263	3931	10644	4077	11025	4222	11406	4368	11787	4514	12164
1500	206												
1800	241												

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

Towel rails can be added at an additional cost of \$257

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for \$155 extra per radiator

All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.

Eskimo colours and bead blast aluminium		No of sections													
		32		33		34		35		36		37			
		Width of radiator (mm)		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	44	1395	3582	1439	3683	1482	3785	1526	3886	1570	3988	1613	4089		
400	81	2598	4058	2680	4175	2761	4291	2842	4408	2923	4524	3004	4646		
600	115	3686	4817	3802	4957	3917	5097	4032	5237	4147	5377	4262	5510		
1000	182														
1500	258														
1800	302														
Polished Aluminium		No of sections													
		32		33		34		35		36		37			
		Width of radiator (mm)		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1116	3407	1151	3504	1186	3601	1221	3698	1256	3795	1291	3885		
400	65	2079	3830	2144	3940	2209	4050	2274	4160	2339	4270	2404	4380		
600	92	2949	4520	3041	4650	3133	4780	3226	4910	3318	5040	3410	5166		
1000	146														
1500	206														
1800	241														
Matt Aluminium, Fop, Maggie, Compost		No of sections													
		32		33		34		35		36		37			
		Width of radiator (mm)		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1116	3884	1151	3996	1186	4108	1221	4220	1256	4332	1291	4436		
400	65	2079	4432	2144	4561	2209	4690	2274	4819	2436	4948	2404	5078		
600	92	2949	5264	3041	5417	3133	5570	3226	5723	3318	5876	3410	6025		
1000	146														
1500	206														
1800	241														
Gold		No of sections													
		32		33		34		35		36		37			
		Width of radiator (mm)		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1116	4070	1151	4188	1186	4306	1221	4424	1256	4542	1291	4651		
400	65	2079	4623	2144	4757	2209	4891	2274	5025	2436	5159	2404	5300		
600	92	2949	5485	3041	5645	3133	5805	3226	5965	3318	6125	3410	6279		
1000	146														
1500	206														
1800	241														
Antique Bronze		No of sections													
		32		33		34		35		36		37			
		Width of radiator (mm)		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1116	6213	1151	6398	1186	6583	1221	6768	1256	6953	1291	7130		
400	65	2079	7627	2144	7856	2209	8085	2274	8314	2436	8543	2404	8770		
600	92	2949	9323	3041	9603	3133	9883	3226	10163	3318	10443	3410	10718		
1000	146														
1500	206														
1800	241														

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

Towel rails can be added at an additional cost of \$257

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for \$155 extra per radiator

All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.

Eskimo colours and bead blast aluminium		No of sections													
		38		39		40		41		42		43			
		Width of radiator (mm)		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	44	1657	4191	1700	4292	1744	4394	1788	4495	1831	4604	1875	4705		
400	81	3086	4763	3167	4879	3248	4996	3329	5113	3410	5229	3492	5346		
600	115	4378	5649	4493	5788	4608	5933	4723	6072	4838	6211	4954	6350		
1000	182														
1500	258														
1800	302														
Polished Aluminium		No of sections													
		Width of radiator (mm)		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1325	3982	1360	4079	1395	4176	1430	4273	1465	4370	1500	4468		
400	65	2468	4490	2533	4600	2598	4710	2663	4820	2730	4930	2793	5040		
600	92	3502	5296	3594	5426	3686	5556	3779	5686	3871	5816	3963	5948		
1000	146														
1500	206														
1800	241														
Matt Aluminium, Fop, Maggie, Compost		No of sections													
		Width of radiator (mm)		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1325	4548	1360	4660	1395	4772	1430	4884	1465	4996	1500	5109		
400	65	2468	5207	2533	5336	2598	5465	2663	5594	2730	5723	2793	5844		
600	92	3502	6178	3594	6331	3686	6484	3779	6637	3871	6790	3963	6947		
1000	146														
1500	206														
1800	241														
Gold		No of sections													
		Width of radiator (mm)		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1325	4769	1360	4887	1395	5005	1430	5123	1465	5241	1500	5360		
400	65	2468	5434	2533	5568	2598	5702	2663	5836	2730	5970	2793	6103		
600	92	3502	6439	3594	6599	3686	6759	3779	6919	3871	7079	3963	7244		
1000	146														
1500	206														
1800	241														
Antique Bronze		No of sections													
		Width of radiator (mm)		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1325	7315	1360	7500	1395	7685	1430	7870	1465	8055	1500	8238		
400	65	2468	8999	2533	9228	2598	9457	2663	9686	2730	9915	2793	10136		
600	92	3502	10998	3594	11278	3686	11558	3779	11838	3871	12118	3963	12401		
1000	146														
1500	206														
1800	241														

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

Towel rails can be added at an additional cost of \$257

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for \$155 extra per radiator

All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.

RON hydronic heating radiator price list 2018 - excluding GST

Eskimo colours and bead blast aluminium		No of sections													
		44		45		46		47		48		49		50	
Width of radiator (mm)		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	44	1918	4807	1962	4908	2006	5010	2049	5111	2093	5213	2136	5314	2180	5416
400	81	3573	5462	3654	5579	3735	5695	3816	5812	2436	5929	3979	6045	4060	6165
600	115	5069	6488	5184	6627	5299	6766	5414	6905	5530	7044	5645	7183	5760	7327
1000	182														
1500	258														
1800	302														
Polished Aluminium		No of sections													
Width of radiator (mm)		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1535	4565	1570	4662	1604	4759	1639	4856	1674	4953	1709	5050	1744	5139
400	65	2858	5150	2923	5260	2988	5370	3053	5480	2436	5590	3183	5700	3248	5800
600	92	4055	6078	4147	6208	4239	6338	4332	6468	4424	6598	4516	6728	4608	6859
1000	146														
1500	206														
1800	241														
Matt Aluminium, Fop, Maggie, Compost		No of sections													
Width of radiator (mm)		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1535	5221	1570	5333	1604	5445	1639	5557	1674	5669	1709	5781	1744	5884
400	65	2858	5973	2923	6102	2988	6231	3053	6360	2436	6489	3183	6618	3248	6746
600	92	4055	7100	4147	7253	4239	7406	4332	7559	4424	7712	4516	7865	4608	8022
1000	146														
1500	206														
1800	241														
Gold		No of sections													
Width of radiator (mm)		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1535	5478	1570	5596	1604	5714	1639	5832	1674	5950	1709	6068	1744	6176
400	65	2858	6237	2923	6371	2988	6505	3053	6639	2436	6773	3183	6907	3248	7048
600	92	4055	7404	4147	7564	4239	7724	4332	7884	4424	8044	4516	8204	4608	8367
1000	146														
1500	206														
1800	241														
Antique Bronze		No of sections													
Width of radiator (mm)		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$	W	\$
200	35	1535	8423	1570	8608	1604	8793	1639	8978	1674	9163	1709	9348	1744	9523
400	65	2858	10365	2923	10594	2988	10823	3053	11052	2436	11281	3183	11510	3248	11736
600	92	4055	12681	4147	12961	4239	13241	4332	13521	4424	13801	4516	14081	4608	14363
1000	146														
1500	206														
1800	241														

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412
 Towel rails can be added at an additional cost of \$257
 All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.
 Connections are 1/2" BSP opposite end side unless otherwise specified
 Bottom connections can be specified for \$155 extra per radiator
 All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.



Leggy Ron prices 2018 excluding GST - all prices shown are on top of standard RON prices

Ron radiator height	Number of sections (length of radiator)	Heights Available		Number of Legs - odd number of sections	Number of Legs - even number of sections	Cost per leg in a colour & bead blast aluminium \$	Cost per leg in polished aluminium \$	Cost per leg in matt aluminium \$	Cost per leg in gold \$	Cost per leg in antique bronze \$
		Height of radiator from floor (leg height)	Height of middle radiator sections							
200mm	Up to and including 30 sections (1560 long)	307	200	2	2	125	125	160	175	225
	31 to 50 sections (1612 to 2600 long)			3	4					
400mm	Up to and including 20 sections (1040 long)	507	400	2	2					
	21 to 40 sections (1092 to 2080 long)			3	4					
	41 to 50 sections (2132 to 2600 long)			5	6					
600mm	Up to and including 16 sections (832 long)	707	600	2	2					
	17 to 33 sections (884 to 1716 long)			3	4					
	34 to 50 sections (1768 to 2600 long)			5	6					

Floor mounted connections are on the inside of the end legs as standard - 1/2" BSP - see installation drawing for details - corner thermostatic valves may be required - see your distributor for details
 Add -FM to part number to specify
 All Eskimo products are manufactured in the UK. Prices may be subject to change without notice.

T 1300 544 719 E hello@eskimoheat.com
 Eskimo Heat Pty Ltd, PO Box 252, RYE 3941, Victoria, Australia
www.eskimoheat.com.au